EXPONA®

COMMERCIAL

LUXURY VINYL TILES

Premium Luxury Vinyl Tiles for Commercial Interiors

Creating the best commercial spaces requires flooring solutions that are tailor-made to suit your vision. The Expona Commercial range was created to realise this vision with reproductions of the widest range of natural and man-made materials combined with innovative modern finishes. Expona is not just synonymous with flooring expertise but is also a symbol of quality, reliability, and high design. Expona Commercial has the perfect specifications to provide a hard-wearing floor covering in a busy environment.

Explore infinite design floor possibilities with 'ready to use' design floor solutions. The collection now includes three brand-new plank and tile formats across eight shades. These versatile designs work effortlessly as standalone floors or when laid together to create natural zones and walkways within interiors.

Front Cover :
4119 Provence Oak Prisma - **5168** Cool Grey Concrete

INDEX

COLLECTION OVERVIEW p.04

WOOD COLLECTION p.08

Plank p.11
Plank + Feature p.23
Medley p.25
Prisma p.29

STONE COLLECTION p.32

Concrete p.35
Stone p.39
Terrazzo p.40
Cement p.44
Slate p.44

VISUALISER p.45

SUSTAINABILITY p.47

TECHNICAL SPECIFICATION p.48

CONTACT US p.49

ORDER SAMPLES p.49

COLLECTION OVERVIEW

WOOD

PLANK

4199
Cotton
p.14

4198
Veneto
p.14

4194
Colorado
p.14

4197
Alpine
p.15

4193
Rio
p.15

4196
Montego
p.15

4209
River Grey
p.22

4189
Everest
p.22

4192
Fawn
p.22

4191
Arctic Grey
p.18

4188
Mountain Ash
p.21

4098
Oiled Oak
p.18

4099
Sherwood Oak
p.21

4081
Blond Limed Oak
p.17

4082
Grey Limed Oak
p.11

4030
Dark Brushed Oak
p.12

PLANK & FEATURE

4181
Tobacco
p.23

4182
Tobacco Feature
p.23



4183
Lunar
p.23

4184
Lunar Feature
p.23

4186
Savanna
p.23

4187
Savanna Feature
p.23

MEDLEY

5140
Coral Medley
p.26

5139
Smoked Medley
p.25

5141
Sepia Medley
p.27

PRISMA

4117
Cottage Oak Prisma
p.29

4118
Vineyard Oak Prisma
p.29

4119
Provence Oak Prisma
p.29

STONE

CONCRETE

5167
Light Grey Concrete
p.35

5168
Cool Grey Concrete
p.38

5144
Natural Stencil Concrete
p.38

5145
Blue Stencil Concrete
p.38

5137
Grey Stencil Concrete
p.36

5138
Rusted Stencil Concrete
p.36

TERRAZZO

5628
Grey Terrazzo
p.40

5627
Dark Terrazzo
p.43



5146
Tuscan Terrazzo
p.40

5147
Azure Terrazzo
p.44

5148
Coral Terrazzo
p.43

STONE

5142
Light Ceppo Stone
p.39



5149
Cool Ceppo Stone
p.39



5151
Warm Ceppo Stone
p.39

CEMENT

5034
Pure Cement
p.44

SLATE

5056
India Ink Slate
p.44

4118 VINEYARD OAK PRISMA

WOOD

The Expona Commercial Wood collection features an extensive array of timber designs, offering a mix of tones, subtlety, and variation. Sympathetically portraying the beauty of natural wood, the collection includes a variety of plank sizes, chosen specifically for each of the designs.

PLANK
p.11

PLANK & FEATURE
p.23

MEDLEY
p.25

PRISMA
p.29

WOOD COLLECTION

PLANK

184.2 x 1524mm
Box: 12 pieces
Coverage: 3.37 m²

p.14
4199 Cotton

p.14
4198 Veneto

p.14
4194 Colorado

p.15
4197 Alpine

p.15
4193 Rio

p.15
4196 Montego

p.22
4209 River Grey

p.22
4189 Everest

p.22
4192 Fawn

p.18
4191 Arctic Grey

p.21
4188 Mountain Ash

184.2 x 1219.2mm
Box: 15 pieces
Coverage: 3.37 m²

p.18
4098 Oiled Oak

p.21
4099 Sherwood Oak

203.2 x 1219.2mm
Box: 14 pieces
Coverage: 3.46 m²

p.17
4081 Blond Limed Oak

p.11
4082 Grey Limed Oak

p.12
4030 Dark Brushed Oak

Bevelled edges Pattern and/or colour variation

PLANK & FEATURE

PLANK

184.2 x 1524mm
Box: 12 pieces
Coverage: 3.37 m²

p.23
4181 Tobacco

p.23
4183 Lunar

p.23
4186 Savanna

FEATURE

101.6 x 609.6mm
Box: 36 pieces
Coverage: 3.34 m²


p.23
4182 Tobacco Feature

p.23
4184 Lunar Feature

p.23
4187 Savanna Feature

MEDLEY

184.2 x 1524mm
Box: 12 pieces
Coverage: 3.37 m²

p.26
5140 Coral Medley

p.25
5139 Smoked Medley

p.27
5141 Sepia Medley

PRISMA

609.6 x 609.6mm
Box: 9 pieces
Coverage: 3.34 m²

p.29
4117 Cottage Oak Prisma

p.29
4119 Provence Oak Prisma


p.29
4118 Vineyard Oak Prisma

4082 GREY LIMED OAK

PLANK

4082 Grey Limed Oak
203.2 x 1219.2mm

WOOD COLLECTION

PLANK

4030 Dark Brushed Oak
203.2 x 1219.2mm

4030 DARK BRUSHED OAK

PLANK

4199 Cotton
184.2 x 1524mm

4198 Veneto
184.2 x 1524mm

4194 Colorado
184.2 x 1524mm

PLANK

4197 Alpine
184.2 x 1524mm

4193 Rio
184.2 x 1524mm

4196 Montego
184.2 x 1524mm

4081 BLOND LIMED OAK

PLANK

4081 Blond Limed Oak
203.2 x 1219.2mm

WOOD COLLECTION

PLANK

4191 Arctic Grey
184.2 x 1524mm

4098 Oiled Oak
184.2 x 1219.2mm

4098 OILED OAK

4099 SHERWOOD OAK

WOOD COLLECTION

PLANK

4099 Sherwood Oak
184.2 x 1219.2mm

4188 Mountain Ash
184.2 x 1524mm

PLANK

4209 River Grey
184.2 x 1524mm

4189 Everest
184.2 x 1524mm

4192 Fawn
184.2 x 1524mm

PLANK & FEATURE

PLANK

4181 Tobacco
184.2 x 1524mm

FEATURE

4182 Tobacco Feature
101.6 x 609.6mm

PLANK

4183 Lunar
184.2 x 1524mm

FEATURE

4184 Lunar Feature
101.6 x 609.6mm

PLANK

4186 Savanna
184.2 x 1524mm

FEATURE

4187 Savanna Feature
101.6 x 609.6mm

5139 SMOKED MEDLEY

MEDLEY

5139 Smoked Medley
184.2 x 1524mm

WOOD COLLECTION

MEDLEY

5140 Coral Medley
184.2 x 1524mm

5140 CORAL MEDLEY

WOOD COLLECTION

MEDLEY

5141 Sepia Medley
184.2 x 1524mm

5141 SEPIA MEDLEY

4117 COTTAGE OAK PRISMA

WOOD COLLECTION

PRISMA

4117 Cottage Oak Prisma
609.6 x 609.6mm

4118 Vineyard Oak Prisma
609.6 x 609.6mm

4119 Provence Oak Prisma
609.6 x 609.6mm

5168 COOL GREY CONCRETE

STONE

Expona Commercial Stone is an essential and contemporary collection of natural mineral designs and modern man-made materials, including clean and rustic stone effects, strong slate designs and raw industrial surfaces. Extensively researched and developed, the collection beautifully replicates the unpredictability of classic materials.

CONCRETE
p.35

STONE
p.39



TERRAZZO
p.40

CEMENT
p.44



SLATE
p.44

STONE COLLECTION

CONCRETE

609.6 x 609.6mm
Box: 9 pieces
Coverage: 3.34 m²

p.35

5167 Light Grey Concrete


p.38

5168 Cool Grey Concrete

p.38

5144 Natural Stencil Concrete

p.38

5145 Blue Stencil Concrete


p.36

5137 Grey Stencil Concrete

p.36

5138 Rusted Stencil Concrete

STONE

457.2 x 914.4mm
Box: 8 pieces
Coverage: 3.34 m²


p.39

5142 Light Ceppo Stone


p.39

5149 Cool Ceppo Stone


p.39

5151 Warm Ceppo Stone

SLATE

304.8 x 914.4mm
Box: 12 pieces
Coverage: 3.34 m²

p.44

5056 India Ink Slate

TERRAZZO

457.2 x 914.4mm
Box: 8 pieces
Coverage: 3.34 m²


p.40

5146 Tuscan Terrazzo

p.44

5147 Azure Terrazzo

p.43

5148 Coral Terrazzo

609.6 x 1219.2mm
Box: 8 pieces
Coverage: 5.95 m²

p.40

5628 Grey Terrazzo

p.43

5627 Dark Terrazzo

CEMENT

609.6 x 1219.2mm
Box: 8 pieces
Coverage: 5.95 m²

p.44

5034 Pure Cement

Bevelled edges
Pattern and/or colour variation
Oversized tiles

STONE COLLECTION

CONCRETE

5167 Light Grey Concrete
609.6 x 609.6mm

5167 LIGHT GREY CONCRETE

STONE COLLECTION

CONCRETE

5138 Rusted Stencil Concrete
609.6 x 609.6mm

5137 Grey Stencil Concrete
609.6 x 609.6mm

5137 GREY STENCIL CONCRETE

CONCRETE

5168 Cool Grey Concrete
609.6 x 609.6mm

5144 Natural Stencil Concrete
609.6 x 609.6mm

5145 Blue Stencil Concrete
609.6 x 609.6mm

STONE

5142 Light Ceppo Stone
457.2 x 914.4mm

5149 Cool Ceppo Stone
457.2 x 914.4mm

5151 Warm Ceppo Stone
457.2 x 914.4mm



STONE COLLECTION

TERRAZZO



5146 Tuscan Terrazzo
457.2 x 914.4mm

5628 Grey Terrazzo
609.6 x 1219.2mm



5628 GREY TERRAZZO

5627 DARK TERRAZZO

STONE COLLECTION

TERRAZZO

5627 Dark Terrazzo
609.6 x 1219.2mm

5148 Coral Terrazzo
457.2 x 914.4mm





TERRAZZO

5147 Azure Terrazzo
457.2 x 914.4mm



CEMENT

5034 Pure Cement
609.6 x 1219.2mm

SLATE

5056 India Ink Slate
304.8 x 914.4mm

VISUALISER

polyflor.com.au/**room-visualiser**

- Scan the **QR Code**
- Take a photo of your project
- Enter the four digit shade number or name to select your favourite floor
- See the transformation
- Save, share and order **free samples**



SUSTAINABILITY

As a leading global manufacturer of high-quality, high-performance sustainable floor coverings, Polyflor has demonstrated a significant level of commitment to minimising environmental impact. This meets the company's values, but also complies with ongoing objectives for ISO 14001 Environmental Management System and BES 6001 Responsible Sourcing accreditation.

Expona Commercial is 100% recyclable, whilst also containing 40% recycled material. It contains 76% natural material, is phthalate free and REACh compliant. Not only do Polyflor look to minimise their carbon footprint, but yours too. Expona Commercial is extremely durable with its 0.55mm wear layer and PUR finish, and if installed and maintained correctly can last for 15 years or beyond. Easily cleaned with fewer chemicals, less water, and less energy, it is also non-shedding and does not harbour dust – important for clean air quality.

Furthermore Expona Commercial achieves Indoor Air Comfort Gold and FloorScore certification for exceptionally low VOC emissions, providing indoor air quality and comfort. In support of sustainable construction, particularly with regards to BRE, LEED, WELL, SKA and Green Star projects, Polyflor has a product specific EPD (Environmental Product Declaration), FDES and BRE LCA to assist.

For more information on our sustainability credentials, go to **www.polyflor.com**

TECHNICAL SPECIFICATION

Product Sizes	Size	Shades	Quantity per Box	Coverage per Box
Plank & Tile	609.6mm x 609.6mm	9	9	3.34m²
	101.6mm x 609.6mm	3	36	3.34m²
	184.2mm x 1219.2mm	2	15	3.37m²
	184.2mm x 1524mm	17	12	3.37m²
	203.2mm x 1219.2mm	3	14	3.46m²
	457.2mm x 914.4mm	6	8	3.34m²
	304.8mm x 914.4mm	1	12	3.34m²
	609.6mm x 1219.2mm	3	8	5.95m²

Product Format	Standard	Result
Gauge	ISO 24346 (EN 428)	2.5mm
Wear Layer	ISO 24340 (EN 429)	0.55mm
Total Weight	ISO 23997 (EN 430)	4290g/m²
Finish		PUR

Performance Requirements	Standard	Result
General Performance	ISO 10582 (EN 649) ASTM F1700	Conforms Class III Type A+B
Use Area	ISO 10874 (EN 685)	23, 33, 42
Slip Resistance	EN 13893 DIN 51130/DIN EN 16165 App. B ASTM D2047 AS 4586	Class DS R10 >0.5 R10
	For safety flooring with sustainable wet slip resistance, refer to the Polysafe ranges.	
Binder Content	ISO 10582	Type I
Abrasion Resistance	EN 649	Group T
Reaction to Fire	ASTM E648 AS ISO 9239.1	Class 1 > 8.0 kW/m2
Static Electrical Propensity	EN 1815	≤2.0kV Classified as 'antistatic'
Residual Indentation	ISO 24343-1 (EN 433) ASTM F970 ASTM F1914	≤0.05mm* ≤0.005" @ 750psi ≤0.005"
Castor Chair (continuous use)	ISO 4918 (EN 425)	Suitable
Dimensional Stability	ISO 23999 (EN 434) ASTM F2199	≤0.10% max Pass
Flexibility	ASTM F137	1" - Pass
Underfloor Heating		Suitable, max 27°C
Light Fastness	ISO 105-B02	(Method 3) >6
Resistance to Light	ASTM F1515	ΔE ≤ 8.0 - Meets
Resistance to Heat	ASTM F1514	ΔE ≤ 8.0 - Meets
*Average test value from current production		

Sustainability	Standard	Result
BRE Green Guide		A+ ENP 429
GreenTag	LCA Rate Gold Plus	GreenRate level A
Specific EN 15804 EPD		Available
Recyclable		100%
Recycled Content		40%
REACh		Compliant
Indoor Air Comfort Gold		Eurofins certified product
FloorScore		Certified
Finnish M1		Certified
AgBB/ABG		Pass
Responsible Sourcing	BES 6001 SA 8000	Very good Approved factory

Acoustic Performance	Standard	Result
Impact Sound Reduction	ISO 10140-3 ASTM E90/492	2dB 55 STC
Impact Insulation Class (IIC)	ASTM E90/492	IIC 36

Maintenance Performance	Standard	Result
Resistance to Chemicals	ISO 26987 (EN 423) ASTM F925	Good Good

Regular light maintenance is more cost-effective than periodic heavy maintenance and more beneficial to the floor covering.

SUPPORT

CONTACT US

For general information on your specific project, either speak with your local Polyflor provider or contact us directly. If you require additional detailed technical data, either visit **polyflor.com.au** and follow the links to the technical pages, contact Polyflor Australia on **1800 777 425** or

ORDER SAMPLES

Polyflor provide a complementary product sample service so you can sample your choice of flooring before you make your final selection, and ensure you find the exact floorcovering you are looking for. To order your free sample of any Expona Commercial colour, visit the Polyflor website, call the dedicated Polyflor staff on **1800 777 425** or speak with your local

5057 LIGHT GREY CONCRETE

4082 GREY LIMED OAK

BS EN 14041 EN 14041

POLYFLOR™ AUSTRALIA
Polyflor Australia
Tel: 1800 777 425
Fax: 03 9215 4444
E-mail: sales@polyflor.com.au
www.polyflor.com.au

POLYFLOR™ NEW ZEALAND
Polyflor New Zealand
Tel: 0800 765 935
Fax: 0800 846 737
E-mail: sales@polyflor.co.nz
www.polyflor.co.nz

For details on distribution, as well as up to date product and technical information, please visit **www.polyflor.com.au**

POLYFLOR™ COVERING THE WORLD

James Halstead™ FLOORING

LIT432 07/23